

CLASSIFICATION

CONFIDENTIAL

CONFIDENTIAL

CENTRAL INTELLIGENCE AGENCY REPORT
INFORMATION FROM
FOREIGN DOCUMENTS OR RADIO BROADCASTS CD NO.

REPORT

50X1-HUM

COUNTRY : USSR

DATE OF INFORMATION 1949

SUBJECT Scientific - Engineering, hydraulics

HOW PUBLISHED Book

DATE DIST. 16 Oct 1950

WHERE
PUBLISHED: MOSCOW

NO. OF PAGES 6

DATE
PUBLISHED 1949

SUPPLEMENT TO
REPORT NO.

LANGUAGE Russian

THIS DOCUMENT CONTAINS INFORMATION AFFECTING THE NATIONAL DEFENSE OF THE UNITED STATES WITHIN THE MEANING OF ESPIONAGE ACT 50 U. S. C. 31 AND 32, AS AMENDED. ITS TRANSMISSION OR THE REVELATION OF ITS CONTENTS IN ANY MANNER TO AN UNAUTHORIZED PERSON IS PROHIBITED BY LAW. REPRODUCTION OF THIS FORM IS PROHIBITED.

THIS IS UNEVALUATED INFORMATION

SOURCE Laboratornyy Praktikum po Gidravlike, Gostekhnizdat,

50X1-HUM

TABLE OF CONTENTS FOR "MANUAL OF HYDRAULIC EXPERIMENTS"

D. S. Vil'ker
Hydrodynamics Laboratory
Moscow Order of Lenin State U imeni Lomonosov

The purpose of this volume is to clarify the principles of hydraulics by a series of experimental exercises to advance the theoretical and practical knowledge of the student and enable him to carry on independent experiments and research. Much of the equipment described can be built at little expense in a laboratory. The manual may be used either as a general course or to elucidate specific engineering problems.

TABLE OF CONTENTS

	<u>Page</u>
Preface	8
I. Basic Definitions. Measuring Instruments (density, specific weight, relative weight, specific volume, methods of determining specific weight, viscosity, viscosimeters, measuring pressure, measuring velocities and fluid discharge, determining the fluid level).	9
Exercise 1. To Determine the Dynamic Coefficient of Viscosity of a Fluid by Means of N. Ye. Zhukovskiy's Viscosimeter	39
Exercise 2. To Determine the Dynamic Coefficient of Viscosity of a Fluid With a Capillary Viscosimeter	42
Exercise 3. To Determine the Dynamic Coefficient of Viscosity of a Fluid with a Viscosimeter With Two Coaxial Cylinders	44
Exercise 4. To Determine the Dynamic Coefficient of Viscosity by the Method of Quenching Disk Oscillations	45
Exercise 5. To Determine the Kinematic Coefficient of Viscosity of a Fluid by Means of Engler's Viscosimeter	46

- 1 -

CONFIDENTIAL

CLASSIFICATION

CONFIDENTIAL

[illegible]

CONFIDENTIAL
CONFIDENTIAL

50X1-HUM

	<u>Page</u>
II. Hydrostatics	
Basic Concepts and Equations	48
Exercise 6. To Determine the Tractive Force Required to Raise a Circular Valve Inclined at an Angle Alpha With the Horizontal	50
Exercise 7. To Determine the Tractive Force Holding a Retaining Gate Installed in a Hydraulic Canal	53
Exercise 8. To Determine the Shape of the Surface of Fluid Level in a Uniformly Rotating Cylinder and the Angular Velocity of Its Rotation	55
Exercise 9. To Determine the Shape of the Free Surface of Fluid Level in a Uniformly Rotating Cylinder When Its Axis of Rotation is Inclined at an Angle Alpha to the Vertical	58
III. Motion of Fluids in Pipes	
Basic Concepts and Formulas	61
Laminar Flow of a Fluid in a Straight, Round, Horizontal Pipe	62
Laminar Flow in Noncircular Pipes	65
Turbulent Flow in Circular Pipes	65
Bernoulli's Equations	73
Hydraulic Hammer in Pipes	75
Exercise 10. To Determine the Critical Value of Reynolds' Number	76
Exercise 11. To Measure the Field (Distribution) of Velocities in a Circular Pipe Under Laminar Conditions	78
Exercise 12. To Measure the Field of Velocities in a Rectangular Pipe	83
Exercise 13. To Measure the Field of Velocities in a Pipe With an Elliptical Cross Section	85
Exercise 14. To Measure the Field of Velocities During Movement of a Fluid Flow in a Circular Space	88
Exercise 15. To Establish the Relation of the Axial Velocity to the Reynolds' Number Under Laminar Conditions	90
Exercise 16. To Determine Loss of Head in a Circular Pipe Under Laminar Conditions	92
Exercise 17. To Determine Loss of Head During Laminar Flow in an Elliptical Pipe	93
Exercise 18. To Determine Loss of Head During the Flow of a Fluid in a Circular Space	94
Exercise 19. To Determine the Kinematic Coefficient of Viscosity per Loss of Head During Laminar Flow of a Fluid in a Circular Pipe	96

- 2 -

CONFIDENTIAL

CONFIDENTIAL

CONFIDENTIAL

CONFIDENTIAL

50X1-HUM

	<u>Page</u>
Exercise 20. To Determine the Total Loss of Head During Laminar Flow of a Fluid in a Circular Pipe	97
Exercise 21. To Measure the Field of Velocities at Various Cross Sections of the "Initial Sector"	99
Exercise 22. To Determine the Loss of Head at the "Initial Sector"	100
Exercise 23. To Determine the Magnitude of the Coefficient of Resistance During Turbulent Flow of a Fluid in a Circular Pipe	101
Exercise 24. To Determine Loss of Head in Rough Circular Pipes	103
Exercise 25. To Determine the Coefficient of Resistance During Movement of a Fluid in a Pipe of Rectangular Cross Section	105
Exercise 26. To Determine the Coefficient of Resistance for a Divergent Conical Pipe	107
Exercise 27. To Determine the Coefficient of Local Resistance in a Curved Circular Pipe (Elbow)	109
Exercise 28. To Determine the Loss of Head Through Sudden Enlargements in the Pipe	111
Exercise 29. To Determine the Coefficients of Local Resistances	113
Exercise 30. To Determine the Discharge Rate of a Pipe by a Venturi Meter	116
Exercise 31. To Determine the Value of the Impulse Pressure and Velocity of Impulse Wave Propagation When the Valve of the Pipe is Suddenly Closed	117
Exercise 32. To Determine, on an Impulse Chart, the Site of a Leakage of Fluid From a Hole in the Pipe	124
IV. Discharge of a Fluid Through an Orifice. Pressure of a Jet	
Discharge Under Constant Head	126
Discharge During Variations in Level	131
Discharge Jets	133
Pressure of Jets	134
Reaction of a Fluid Discharging From a Container	136
Exercise 33. To Determine the Coefficients of Compression, Velocity, and Discharge For a Fluid Flowing From a Circular Orifice in a Vertical Wall	136
Exercise 34. A Study of the Form of Cross Section of a Jet Flowing From an Orifice of Rectangular Cross Section in a Thin Wall	140

- 3 -

CONFIDENTIAL

CONFIDENTIAL

50X1-HUM

CONFIDENTIAL
CONFIDENTIAL

	<u>Page</u>
Exercise 35. To Determine the Path of a Jet and Changes in Its Diameter According to Its Length	141
Exercise 36. To Determine the Maximum Trajectory and Height of a Jet	144
Exercise 37. To Determine the Coefficients of Compression, Velocity, and Discharge During the Flow of Fluids From Nozzles	145
Exercise 38. A Study of Pressure Changes Along the Length of a Cylindrical Nozzle in Relation to the Rate of Flow of a Fluid	147
Exercise 39. To Determine the Time Consumed in Lowering the Level in a Container When the Flow of the Fluid Is Irregular	148
Exercise 40. To Determine the Time Consumed in Changing the Level in a Container When the Inflow of a Fluid Is Constant and the Discharge Irregular	150
Exercise 41. To Measure the Field of Velocities in the Cross Section of a Free Jet	152
Exercise 42. To Determine the Amount of Pressure Exerted by The Jet on Obstacles	153
Exercise 43. To Determine the Value of the Reactive Force of a Fluid Flowing Out of a Container Into the Air	156
V. Spillways	
Basic Concepts	158
Calculation Formulas	161
Exercise 44. To Determine the Coefficient of Discharge of a Fluid Flowing Over an Unsubmerged Rectangular Spillway With a Thin Crest	168
Exercise 45. To Determine the Changes in the Discharge of a Fluid in Relation to the Height of Submersion, When the Head Is Constant Over a Rectangular Spillway With a Thin Crest	170
Exercise 46. To Determine the Discharge Ratio for a Spillway of Practical Profile	172
Exercise 47. To Determine the Discharge of a Spillway with a Thick Crest	174
Exercise 48. To Measure the Pressure Distribution Along the Surface of a Spillway With Practical Profile	176
Exercise 49. To Measure the Velocity and Pressure in Cross Sections of a Free Flow in a Spillway of Practical Profile	178
Exercise 50. To Determine the Coefficient of Discharge of an Open Venturi Meter	180
Exercise 51. To Determine the Coefficient of Discharge of a Triangular Spillway With a Thin Crest	182

- 4 -

CONFIDENTIAL

CONFIDENTIAL

CONFIDENTIAL

CONFIDENTIAL

50X1-HUM

	<u>Page</u>
VI. Fluid Flow in Open Channels	
Uniform Flow	184
Nonuniform Flow	186
Hydraulic Jump	192
Exercise 52. To measure the Velocity Distribution in a Horizontal, Rectangular Channel	195
Exercise 53. To Determine Variations in Discharge From the Angle of Inclination of the Bottom When the Depth of the Fluid Filling the Channel Is Given	198
Exercise 54. To Determine the Discharge of a Fluid According to Changes in the Wetted Perimeter of the Channel at Two Cross Sections	200
Exercise 55. To Determine the Wetted Perimeter of the Channel at a Given Fluid Discharge and Slope of the Channel Bottom	201
Exercise 56. A Study of the Effect of the Form of a Cross Section of a Channel on the Discharge	203
Exercise 57. To Determine the Loss of Head and Coefficient of Roughness in a Channel With Walls of Various Degrees of Roughness	205
Exercise 58. Study of the Drop-Down Curve in a Rectangular Channel	208
Exercise 59. To Determine the Distance Between Two Cross Sections of the Stream at Given Wetted Perimeters, Fluid Discharge, and Slope of the Bottom	210
Exercise 60. To Determine the Height of a Spillway, Built in a Channel, by the Wetted Perimeter and Fluid Discharge	213
Exercise 61. To Establish the Relation Between the Form of the Curve of the Free Surface of a Stream in a Rectangular Channel and a Spillway by the Angle of Slope of the Channel Bottom	215
Exercise 62. To Determine the Conjugate Depth and Length of Jump in a Horizontal, Rectangular Channel When the Discharge Rate and the Value of Another Conjugate Depth are Known	216
Exercise 63. To Determine the Conjugate Depth and Loss of Power in a Horizontal, Rectangular Channel When the Head Against the Gate and the Value of Another Conjugate Depth Are Known	218
Exercise 64. To Determine the Influence of the Slope of the Bottom on the Length of the Hydraulic Jump When the Discharge and the Height of the Gate Opening Are Constant	220
Exercise 65. To Determine the Distance From a Spillway With a Thin Crest to the Hydraulic Jump When the Slope of the Bottom and the Fluid Discharge Are Constant	222
VII. Motion of Fluids and Gases in a Porous Medium	
Basic Concepts	225

- 5 -

CONFIDENTIAL

CONFIDENTIAL

CONFIDENTIAL

CONFIDENTIAL

50X1-HUM

	<u>Page</u>
Definition of an effective Diameter	231
Filtration Formulas	233
Flow of Ground Water and Artesian Water	236
Flow of Gas in a Porous Medium	242
Exercise 66. To Determine Permeability During Flow of Water Through Fine Sand	247
Exercise 67. To Establish the Field of Application for Darcy's Formula When Water Flows Through a Coarse-Grained Stratum	250
Exercise 68. To Plot the Curve of Depression During the Flow of Water Through a Stratum With a Flat, Underlying Layer	253
Exercise 69. To Plot the Curve of Depression in Cases Where Water Flows Through a Stratum With a Sloping, Watertight Bottom	256
Exercise 70. To Determine the Fluid Discharge and Plot the Curve of Depression for a Subsurface Well, Piercing the Whole Thickness of the Stratum	257
Exercise 71. To Determine the Permeability of a Stratum and The Fluid Discharge of a Well Not Entirely Below the Surface	260
Exercise 72. To Determine the Permeability of a Stratum and Plot the Curve of Depression for an Artesian Well	262
Exercise 73. To Determine the Fluid Consumption and Plot the Curve of Depression When a Water Tank Is Installed	264
Exercise 74. To Determine the Permeability of a Linear Sand Stratum During a Steady Flow of Air	266
Exercise 75. To Determine Changes in Pressure Along the Length of the Stratum During a Steady Flow of Air	271
Exercise 76. To Determine Changes in Pressure Along the Stratum During a Nonsteady Flow of Air	272
Exercise 77. To Determine Variations in Air Consumption During Irregular Flow in the Stratum	274
Appendixes: Tables 1-11	277

- E N D -

- 6 -

CONFIDENTIAL

CONFIDENTIAL